

FICHE DE DONNEES DE SECURITE

FDS ASI 003H-ENG_05-2022

INFORMATIONS CONCERNANT LE FOURNISSEUR DE LA FDS:

Préparation:

Code produit: ASI 003H

Désignation : Riblons 3,6 x 10 mm, Argent 950/Cu
Utilisation : Precious metall alloy for technical purposes

Identification de la Société :

Raison Sociale: Cookson-CLAL

Adresse siège social : 5 Chemin du Plateau 69570 Dardilly

Telephone: 0800 878 202

E-mail: qualite@cookson-clal.com

Numéro d'appel d'urgence :

N° ORFILA (INRS): + 33 (0)1 45 42 59 59 - http://www.centres-antipoison.net

Ce numéro permet d'obtenir les coordonnées de tous les centres Antipoison Français.

Ces centres antipoison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Alloy Ag 420-950 Legierung Ag 420-950

· Article number: 73001097

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture

Precious metall alloy for technical purposes

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim

Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com

Further information obtainable from:

•

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970

· 1.4 Emergency telephone number:

DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

ITALY:

Istituto Superiore di Sanità +3906499906140

KROATIA - REPUBLIKA HRVATSKA:

 $\overline{(+385)} \ 01 \ 2348 \ 342$

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse 16662, (+342) 7914 794

LETTLAND - LATVIA:

Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 670 32600

LITAUEN - LIETUVOS RESPUBLIKA:

Apsinuodijimų informacijos biuras +370 (85) 2362052

-- 3)



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950 Legierung Ag 420-950

(Contd. of page 1)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Alloy: consisting of the following components.

· Dangerous components / Information on ingredients:		
	silver substance with a Community workplace exposure limit	95.0%
	copper; granulated copper [particle length: from 0,9 mm to 6,0 mm; particle width: from 0,494 to 0,949 mm] Aquatic Chronic 2, H411	5.0%

- · Alloy components The hazardous substance classifications refer to pure metals.
- · Additional information:

Additional physical data for alloys / metals are listed in the material data sheet.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

No special measures required.

Personal protection for the First Aider.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Seek immediate medical advice.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950 Legierung Ag 420-950

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Only handle and refill product in closed systems.

· 6.2 Environmental precautions:

No special measures required.

Do not allow to enter sewers/surface or ground water.

- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Extractors are required on all machines used for thermal processing or splinter removal processes.

No special measures required.

Keep receptacles tightly sealed.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

No special requirements.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · Storage class: 13
- · 7.3 Specific end use(s) No further relevant information available.

GB



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950 Legierung Ag 420-950

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about design of technical facilities: No further data; see item 7.

CAS: 7440-22-4 silver		
WEL (Great Britain)	Long-term value: 0.1 mg/m³	
IOELV (European Union)	Long-term value: 0.1 mg/m³	
AGW (Germany)	Long-term value: 0.1 E mg/m³ 8(II);DFG, EU	
CAS: 7440-50-8 copper		
WEL (Great Britain)	Short-term value: 2** mg/m³ Long-term value: 0.2* 1** mg/m³ *fume **dusts and mists (as Cu)	
MAK (Germany)	Long-term value: 0.01 A mg/m³ als Cu	

· Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

AGW (Germany): TRGS 900

MAK (Germany): MAK- und BAT-Liste

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

When melting, soldering and mechanical processing:

Do not inhale dust / smoke / mist.

Short term filter device:

Filter P2

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

· Protection of hands:

No chemical-protective gloves required.

Protective gloves and protective skin cream

Sensibilisation by the components in the glove materials is possible.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

· Material of gloves

Leather gloves

Strong material gloves

Gloves recommended during refilling

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950

Legierung Ag 420-950

(Contd. of page 4)

· Eye protection: Goggles recommended · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· General Information

· Appearance:

Form: Solid in various forms

Colour: White · Odour: **Odourless** · Odour threshold: Not determined.

· pH-value: · Change in condition

> Melting point/freezing point: 880-920°C (1,616-1,688°F)

Initial boiling point and boiling range: Undetermined.

· Flash point: Not applicable.

Not determined. · Flammability (solid, gas): · Decomposition temperature: Not determined.

Product is not selfigniting. · Auto-ignition temperature:

· Explosive properties: Product does not present an explosion hazard.

Not applicable.

· Explosion limits: Lower:

Not determined. Not determined. Upper: · Vapour pressure: Not applicable.

• *Density at 20°C (68°F):* 10.4 g/cm3 (86.79 lbs/gal)

· Relative density Not determined. Not applicable. · Vapour density Not applicable. · Evaporation rate

· Solubility in / Miscibility with

Insoluble.

Not determined. · Partition coefficient: n-octanol/water:

· Viscosity:

Dynamic: Not applicable. Kinematic: Not applicable.

· Solvent content:

Solids content: 100.0 %

Additional physical data for alloys / metals are listed in the 9.2 Other information

material data sheet.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950 Legierung Ag 420-950

(Contd. of page 5)

- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation





Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

(Contd. on page 7)



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950 Legierung Ag 420-950

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

		_
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR	UN-	
ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
IATA		
Remarks:		
	24h emergency contact -	
	(Dangerous goods emergency number)	
	+49 172 739 6970	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· GADSL - Global Automotive Declarable Substance List

All substances have the value D(LR).

(Contd. on page 8)



Printing date: 02.05.2022 Version number 1 Revision: 02.05.2022

Trade name: Alloy Ag 420-950 Legierung Ag 420-950

(Contd. of page 7)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Technical instructions (air):

Class	Share in %
III	6.5

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

· Relevant phrases

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

· Contact:

Herr Thomas Knuth

thomas.knuth@heimerle-meule.com

sds@heimerle-meule.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

-GB